



1783

[10191/2343]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : WEYL et al. Confirmation No.: 1012
Appl. No. : 10/088,217
Filed : July 17, 2002
For : EXHAUST GAS SENSOR FOR IGNITING AN
EXOTHERMIC REACTION

Art Unit : 1753
Examiner : R. Vestal
Customer No. : 26646

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the
United States Postal Service with sufficient postage as first class mail
in an envelope addressed to:
Mail Stop Amendment
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
cn

Date: 5/10/05

Signature: R. Harran

AMENDMENT TRANSMITTAL

SIR:

Please find an Amendment transmitted herewith for filing in the
above-identified patent application. Applicants respectfully request a one-month
extension of time in which to respond to the office action dated January 10, 2005, for
which a response period expiring on April 10, 2005 was set. The extended period
expires on May 10, 2005.

Please charge the \$120.00 extension fee and any additional fees
required to Deposit Account No. 11-0600. A duplicate copy of this Transmittal is
enclosed.

Respectfully submitted,

KENYON & KENYON

By: Richard L. Mayer (B.N. 41,772)

Dated: 5/10/05

By: Richard L. Mayer
Richard L. Mayer
Reg. No. 22,490

One Broadway
New York, NY 10004
(212) 425-7200



[10191/2343]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : WEYL et al. Confirmation No.: 1012
Appl. No. : 10/088,217
Filed : July 17, 2002
For : EXHAUST GAS SENSOR FOR IGNITING AN
EXOTHERMIC REACTION
Art Unit : 1753
Examiner : R. Vestal
Customer No. : 26646

I hereby certify that this correspondence is being deposited with the
United States Postal Service with sufficient postage as first class mail
in an envelope addressed to:
Mail Stop Amendment
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
on

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Date: May 10, 2005
Signature: Chandra Seemaran

AMENDMENT

Sir:

In response to the Office Action of January 10, 2005, please amend the above-identified application as follows:

Amendments to the Specification do not appear in this paper.

Amendments to the Claims do not appear in this paper.

Amendments to the Drawings begin on page 2 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Remarks begin on page 3 of this paper

05/13/2005 SSESHE1 00000044 110600 10088217
01 FC:1251 120.00 DA